

Section 13 00 00 – Special Construction (Maintenance; Common Work Results; Schedules)

1. See also Appendices for various space types and requirements.
2. ALL/ANY item that requires special tools and/or test equipment must be brought to the attention of the pertinent Owner's FS personnel prior to specification and/or installation.

End of Section

Section 13 10 00 – Special Facility Components (Swimming Pools; Fountains)

1. Inclusion of pools within a project scope requires FS Maintenance and EH&S review with special attention to building codes.

End of Section

Section 13 20 00 – Special Purpose Rooms (Controlled Environment; Fabricated; Vaults)

1. Minimum personnel access opening size allowed is the either 24in x 30in or the minimum emergency access required by fire rescue standards; which ever is greater.
2. No mixing storage tanks.
3. No acid treatment tanks.

End of Section

Section 13 40 00 – Integrated Construction (Building Modules; Sound, Vibration, & Seismic Control; Radiation Protection)

1. Fall protection:
 - a. In design request a voluntary consultation with OSHA via EH&S to review fall protection requirements/needs.
 - b. OSHA fall protection requirements are to be followed.
 - c. Safety railings as required by OSHA at roof perimeters.
 - d. Fall protection systems are required on every new roof and every re-roofing project if not already present.
 - e. Preferred locations of tie-off mounts are on vertical walls or parapets vs. horizontal locations that require additional deck / roofing penetrations.

End of Section

END OF DIVISION 13